

Class C Solutions Group

A business of MSC Industrial Supply Co.

Safety Data Sheet

Supply Co. - 64707987 BD1068 BATTERY CLEANER

Document Nbr: 082631
Class C Parts IDs BD1068,BD1068-1

SAFETY DATA SHEET.

ISSUING DATE: 14-APR-2015

REVISION DATE: 13-JUN-2015

VERSION: 1.02

-----1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE -----
COMPANY/UNDERTAKING

PRODUCT IDENTIFIER:

PRODUCT NAME: 64707987 BD1068 BATTERY CLEANER

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

PRODUCT CODE: F01542

PRODUCT TYPE: NON-FLAMMABLE AEROSOL

SYNONYMS: NONE

SUPPLIER'S DETAILS:

RECOMMENDED USE: BATTERY CLEANER.

USES ADVISED AGAINST: NO INFORMATION AVAILABLE

MANUFACTURER:

AMERICAN JETWAY CORPORATION
34136 MYRTLE STREET
WAYNE, MI 48184-0126

DISTRIBUTOR:

CLASS C SOLUTIONS GROUP

A BUSINESS OF MSC INDUSTRIAL SUPPLY CO.
75 MAXESS ROAD
MELVILLE, NY 11747-3151
1-866-438-6767

EMERGENCY TELEPHONE NUMBER:

COMPANY EMERGENCY PHONE NUMBER:
CHEMTREC: 1-800-262-8200 ID 1195

CHEMICAL EMERGENCY PHONE NUMBER: 734-721-5930

-----2. HAZARDS IDENTIFICATION -----

CLASSIFICATION:
GASES UNDER PRESSURE: COMPRESSED GAS

GHS LABEL ELEMENTS, INCLUDING:

PRECAUTIONARY STATEMENTS:

EMERGENCY OVERVIEW:

WARNING

HAZARD STATEMENTS: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

GAS CYLINDER

APPEARANCE: CLEAR

PHYSICAL STATE: AEROSOL

ODOR: SOLVENT

PRECAUTIONARY STATEMENTS - STORAGE:
PROTECT FROM SUNLIGHT. STORE IN A WELL-VENTILATED PLACE

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC): NONE

OTHER INFORMATION:
0.02194247% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY

-----3. COMPOSITION/INFORMATION ON INGREDIENTS -----

| CHEMICAL NAME | CAS-NO | WEIGHT %* |
|----------------------------|------------|-----------|
| PROPANE/ISOBUTANE/N-BUTANE | 68476-86-8 | 10-20 |
| TRIETHANOLAMINE | 102-71-6 | 1-10 |

*THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

-----4. FIRST AID MEASURES -----

FIRST AID MEASURES FOR DIFFERENT EXPOSURE ROUTES:

GENERAL ADVICE:

AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID BREATHING, VAPORS, MIST, OR GAS.

EYE CONTACT:

IMMEDIATELY FLUSH WITH PLENTY OF WATER. AFTER INITIAL FLUSHING, REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING FOR AT LEAST 15 MINUTES. SEEK IMMEDIATE MEDICAL ATTENTION/ADVICE.

SKIN CONTACT:

WASH OFF IMMEDIATELY WITH SOAP AND PLENTY OF WATER. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. GET MEDICAL ATTENTION IMMEDIATELY IF SYMPTOMS OCCUR.

INHALATION:

MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING HAS STOPPED, CONTACT EMERGENCY MEDICAL SERVICES IMMEDIATELY.

INGESTION:

DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RISK OF PRODUCT ENTERING THE LUNGS ON VOMITING AFTER INGESTION.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

MAIN SYMPTOMS: NOT APPLICABLE.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

NOTES TO PHYSICIAN: TREAT SYMPTOMATICALLY.

-----5. FIRE-FIGHTING MEASURES -----

SUITABLE EXTINGUISHING MEDIA:

USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA:

DECOMPOSITION BY CONTACT WITH WATER MAY GENERATE VAPORS WHICH CAN BE IGNITED BY HEAT OR OPEN FLAME.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: NO INFORMATION AVAILABLE.

EXPLOSION DATA:

SENSITIVITY TO MECHANICAL IMPACT: NONE.

SENSITIVITY TO STATIC DISCHARGE: YES.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

-----6. ACCIDENTAL RELEASE MEASURES -----

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS:

AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID BREATHING VAPORS OR MISTS. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER AWAY FROM HEAT, FLAMES, AND ALL OTHER SOURCES OF IGNITION.

ENVIRONMENTAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

BEWARE OF VAPORS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPORS CAN ACCUMULATE IN LOW AREAS. PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND WATER SYSTEM.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT:

ABSORB SPILL WITH INERT MATERIAL (E.G. DRY SAND OR EARTH), THEN PLACE IN A CHEMICAL WASTE CONTAINER. STOP LEAK IF YOU CAN DO IT WITHOUT RISK.

METHODS FOR CLEANING UP:

PICK UP AND TRANSFER TO PROPERLY LABELED CONTAINERS. SOAK UP WITH INERT ABSORBENT MATERIAL. CLEAN CONTAMINATED SURFACE THOROUGHLY. AFTER CLEANING, FLUSH AWAY TRACES WITH WATER.

-----7. HANDLING AND STORAGE -----

PRECAUTIONS FOR SAFE HANDLING:

ADVICE ON SAFE HANDLING:

AVOID CONTACT WITH EYES. AVOID BREATHING VAPORS OR MISTS. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE CANS. DO NOT STICK PIN OR ANY OTHER SHARP OBJECT INTO OPENING ON TOP OF CAN.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

TECHNICAL MEASURES/STORAGE CONDITIONS:

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION. KEEP IN PROPERLY LABELED CONTAINERS. KEEP OUT OF THE REACH OF CHILDREN. STORE LOCKED UP.

INCOMPATIBLE PRODUCTS: STRONG ACIDS, ALKALIS, OR OXIDIZING AGENTS.

AEROSOL LEVEL: 1

-----8. EXPOSURE CONTROLS/PERSONAL PROTECTION -----

CONTROL PARAMETERS:

EXPOSURE GUIDELINES:

| CHEMICAL NAME | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|-----------------------------|---|--|
| PROPANE/ISOBUTANE/ N-BUTANE | 74-98-6: TWA: 1000 PPM | 74-98-6: TWA: 1000 PPM | 74-98-6: IDLH: 2100 PPM |
| 68476-86-8 | 106-97-8: STEL: 1000 PPM | TWA: 1800 MG/M3 (VACATED) TWA: 1000 PPM | TWA: 1000 PPM TWA: 1800 MG/M3 |
| | 75-28-5: STEL: 1000 PPM | 1000 PPM (VACATED) TWA: 1800 MG/M3 | 106-97-8: TWA: 800 PPM TWA: 1900 MG/M3 |
| | | 106-97-8: (VACATED) TWA: 800 PPM | 75-28-5: TWA: 800 PPM TWA: 1900 MG/M3 |
| | | (VACATED) TWA: 1900 MG/M3 | |
| TRIETHANOLAMINE 102-71-6 | TWA: 5 MG/M3 | | |

ACGIH: (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS)

OSHA: (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION)

NIOSH IDLH: IMMEDIATELY DANGEROUS TO LIFE OR HEALTH

OTHER EXPOSURE GUIDELINES:

VACATED LIMITS REVOKED BY THE COURT OF APPEALS DECISION IN AFL-CIO V. OSHA, 965 F.2D 962 (11TH CIR., 1992).

EXPOSURE CONTROLS:

ENGINEERING MEASURES:

SHOWERS

EYEWASH STATIONS

VENTILATION SYSTEMS.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: SAFETY GLASSES WITH SIDE-SHIELDS.

SKIN AND BODY PROTECTION: CHEMICAL RESISTANT APRON. PROTECTIVE GLOVES.

RESPIRATORY PROTECTION:

IF EXPOSURE LIMITS ARE EXCEEDED OR IRRITATION IS EXPERIENCED, NIOSH/MSHA APPROVED RESPIRATORY PROTECTION SHOULD BE WORN. POSITIVE-PRESSURE SUPPLIED AIR RESPIRATORS MAY BE REQUIRED FOR HIGH AIRBORNE CONTAMINANT CONCENTRATIONS.

RESPIRATORY PROTECTION MUST BE PROVIDED IN ACCORDANCE WITH CURRENT LOCAL REGULATIONS.

HYGIENE MEASURES:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

-----9. PHYSICAL AND CHEMICAL PROPERTIES -----

PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE: AEROSOL

APPEARANCE: CLEAR

ODOR: SOLVENT

COLOR: AMBER

ODOR THRESHOLD: NO INFORMATION AVAILABLE

| PROPERTY | VALUES | REMARKS - METHODS |
|--|--------------------------|--|
| PH | NO INFORMATION AVAILABLE | |
| MELTING/FREEZING POINT | NO INFORMATION AVAILABLE | |
| BOILING POINT/BOILING RANGE | NO INFORMATION AVAILABLE | |
| FLASH POINT | -91 DEG. C / -132 DEG. F | BASED ON PROPELLANT PRODUCT FLAME EXTENSION = 0 FLASHBACK = 0 |
| EVAPORATION RATE | NO INFORMATION AVAILABLE | |
| FLAMMABILITY (SOLID, GAS) | NO INFORMATION AVAILABLE | |
| FLAMMABILITY LIMITS IN AIR: | | |
| UPPER FLAMMABILITY LIMIT | NO INFORMATION AVAILABLE | |
| LOWER FLAMMABILITY LIMIT | NO INFORMATION AVAILABLE | |
| VAPOR PRESSURE | NO INFORMATION AVAILABLE | |
| VAPOR DENSITY | NO INFORMATION AVAILABLE | |
| SPECIFIC GRAVITY | 1.011 | |
| WATER SOLUBILITY | PRACTICALLY INSOLUBLE | |
| PARTITION COEFFICIENT N-OCTANOL/WATER | NO INFORMATION AVAILABLE | |

AUTOIGNITION TEMPERATURE NO INFORMATION AVAILABLE NOT APPLICABLE
DECOMPOSITION TEMPERATURE NO INFORMATION AVAILABLE
VISCOSITY NO INFORMATION AVAILABLE
EXPLOSIVE PROPERTIES NO INFORMATION AVAILABLE

OTHER INFORMATION:

VOC CONTENT(%) 13.23
MIR VALUE 0.24

-----10. STABILITY AND REACTIVITY -----

REACTIVITY: NO DATA AVAILABLE

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL PROCESSING.

CONDITIONS TO AVOID: EXTREMES OF TEMPERATURE AND DIRECT SUNLIGHT.

INCOMPATIBLE MATERIALS: STRONG ACIDS, ALKALIS, OR OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES. FUMES. HYDROCARBONS.

-----11. TOXICOLOGICAL INFORMATION -----

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

INHALATION: AVOID BREATHING VAPORS OR MISTS.

EYE CONTACT: MAY CAUSE SLIGHT IRRITATION. AVOID CONTACT WITH EYES.

SKIN CONTACT:

AVOID CONTACT WITH SKIN. SUBSTANCE MAY CAUSE SLIGHT SKIN IRRITATION.

INGESTION:

MAY BE HARMFUL OR FATAL IF SWALLOWED. ASPIRATION INTO THE LUNGS DURING SWALLOWING MAY CAUSE SERIOUS LUNG DAMAGE WHICH MAY BE FATAL.

COMPONENT INFORMATION:

| CHEMICAL NAME | LD50 ORAL | LD50 DERMAL | LC50 INHALATION |
|---------------|-----------|-------------|-----------------|
|---------------|-----------|-------------|-----------------|

| | | | |
|-----------------|--------------------|--------------------|--|
| TRIETHANOLAMINE | = 4190 MG/KG (RAT) | >20 ML/KG (RABBIT) | |
|-----------------|--------------------|--------------------|--|

102-71-6

INFORMATION ON TOXICOLOGICAL EFFECTS:

SYMPTOMS: MAY CAUSE SKIN AND EYE IRRITATION.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

SENSITIZATION: NONE KNOWN.

GERM CELL MUTAGENICITY: NONE KNOWN.

CARCINOGENICITY:

THE TABLE BELOW INDICATES WHETHER EACH AGENCY HAS EVALUATED A LISTED INGREDIENT AS A CARCINOGEN.

| CHEMICAL NAME | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
|---------------|-------|------|-----|------|

| | | | | |
|------------------------------|--|---------|--|--|
| TRIEETHANOLAMINE 102-71-6 | | GROUP 3 | | |
|------------------------------|--|---------|--|--|

ACGIH: (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS)
A3 - ANIMAL CARCINOGEN

IARC: (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER)
GROUP 3 - NOT CLASSIFIABLE AS TO CARCINOGENICITY IN HUMANS

REPRODUCTIVE TOXICITY:

THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR SUSPECTED REPRODUCTIVE HAZARDS.

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE):
NONE UNDER NORMAL USE CONDITIONS.

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE):
NONE UNDER NORMAL USE CONDITIONS.

CHRONIC TOXICITY:

INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING CONTENTS MAY BE HARMFUL OR FATAL. CHRONIC HYDROCARBON ABUSE HAS BEEN ASSOCIATED WITH IRREGULAR HEART RHYTHMS AND POTENTIAL CARDIAC ARREST. PROLONGED SKIN CONTACT MAY DEFAT THE SKIN AND PRODUCE DERMATITIS.

ASPIRATION HAZARD: NO INFORMATION AVAILABLE.

NUMERICAL MEASURES OF TOXICITY - PRODUCT INFORMATION:

UNKNOWN ACUTE TOXICITY:

0.02194247% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS DOCUMENT.:

ATEMIX (ORAL): 53420 MG/KG

ATEMIX (DERMAL): 1284373 MG/KG

ATEMIX (INHALATION-DUST/MIST): 5.8 MG/L

-----12. ECOLOGICAL INFORMATION -----

ECOTOXICITY:

| CHEMICAL NAME | TOXICITY TO ALGAE | TOXICITY TO FISH | TOXICITY TO MICROORGANISMS | TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES |
|-----------------------------|--|---|----------------------------|---|
| TRIETHANOLAMINE 102-71-6 | 216 MG/L EC50 DESMODESMUS SUBSPICATUS 72H 169 MG/L EC50 DESMODESMUS SUBSPICATUS 96H | 10600 - 13000 MG/L LC50 PIMEPHALES PROMELAS 96H FLOW- THROUGH 450 - 1000 MG/L LC50 LEPOMIS MACROCHIRUS 96H STATIC 1000 MG/L LC50 PIMEPHALES PROMELAS 96H STATIC | | |

PERSISTENCE AND DEGRADABILITY: NO INFORMATION AVAILABLE.

BIOACCUMULATION: NO INFORMATION AVAILABLE.

CHEMICAL NAME LOG POW

PROPANE/ISOBUTANE/N-BUTANE 2.8
68476-86-8

TRIETHANOLAMINE -2.53
102-71-6

OTHER ADVERSE EFFECTS: NO INFORMATION AVAILABLE

-----13. DISPOSAL CONSIDERATIONS -----

WASTE TREATMENT:

WASTE DISPOSAL METHODS:

THIS MATERIAL, AS SUPPLIED, IS A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATIONS (40 CFR 261).

CONTAMINATED PACKAGING: DO NOT RE-USE EMPTY CONTAINERS.

-----14. TRANSPORT INFORMATION -----

DOT GROUND: CONSUMER COMMODITY ORM-D OR LIMITED QUANTITY

IATA: UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, LTD. QTY

IMDG: UN1950, AEROSOLS, 2.2, LTD. QTY.

-----15. REGULATORY INFORMATION -----

INTERNATIONAL INVENTORIES:

| CHEMICAL NAME | TSCA | DSL/NDSL | EINECS/ ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|----------------------------|------|----------|-------------------|------------|-------|------|-------|------|
| PROPANE/ISOBUTANE/N-BUTANE | X | X | X | NOT LISTED | X | X | X | X |
| TRIETHANOLAMINE | X | X | X | X | X | X | X | X |

LEGEND:

TSCA: UNITED STATES TOXIC SUBSTANCES CONTROL ACT SECTION 8(B) INVENTORY

DSL/NDSL: CANADIAN DOMESTIC SUBSTANCES LIST/NON-DOMESTIC SUBSTANCES LIST

EINECS/ELINCS:

EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES/EU LIST OF NOTIFIED CHEMICAL SUBSTANCES

ENCS: JAPAN EXISTING AND NEW CHEMICAL SUBSTANCES

CHINA: CHINA INVENTORY OF EXISTING CHEMICAL SUBSTANCES

KECL: KOREAN EXISTING AND EVALUATED CHEMICAL SUBSTANCES

PICCS: PHILIPPINES INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES

AICS: AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES

U.S. FEDERAL REGULATIONS:

SARA 313:

SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA). THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF THE ACT AND TITLE 40 OF THE CODE OF FEDERAL REGULATIONS, PART 372.

SARA 311/312 HAZARD CATEGORIES:

ACUTE HEALTH HAZARD: NO

CHRONIC HEALTH HAZARD: NO

FIRE HAZARD: NO

REACTIVE HAZARD: NO

SUDDEN RELEASE OF PRESSURE HAZARD: YES

CLEAN WATER ACT:

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS POLLUTANTS PURSUANT TO THE CLEAN WATER ACT (40 CFR 122.21 AND 40 CFR 122.42).

CERCLA:

THIS MATERIAL, AS SUPPLIED, DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS HAZARDOUS SUBSTANCES UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA) (40 CFR 302) OR THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) (40 CFR 355). THERE MAY BE SPECIFIC REPORTING REQUIREMENTS AT THE LOCAL, REGIONAL, OR STATE LEVEL PERTAINING TO RELEASES OF THIS MATERIAL.

U.S. STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

THIS PRODUCT DOES NOT CONTAIN ANY KNOWN PROPOSITION 65 CHEMICALS.

| | |
|---------------------------|---|
| CHEMICAL NAME | CALIFORNIA PROP. 65 |
| DIETHANOLAMINE - 111-42-2 | CARCINOGEN |
| 1,4-DIOXANE - 123-91-1 | CARCINOGEN |
| ETHYLENE OXIDE - 75-21-8 | CARCINOGEN DEVELOPMENTAL FEMALE REPRODUCTIVE MALE REPRODUCTIVE |

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

| CHEMICAL NAME | NEW JERSEY | MASSACHUSETTS | PENNSYLVANIA |
|-----------------------------|------------|---------------|--------------|
| TRIETHANOLAMINE 102-71-6 | X | X | X |

EPA PESTICIDE REGISTRATION NUMBER: NOT APPLICABLE

CANADA:

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

A - COMPRESSED GAS

-----16. OTHER INFORMATION -----

NFPA:

| | |
|---------------|---|
| HEALTH HAZARD | 1 |
| FLAMMABILITY | 2 |
| INSTABILITY | 0 |

PHYSICAL AND CHEMICAL HAZARDS

HMIS:

| | |
|-----------------|---|
| HEALTH HAZARD | 1 |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 0 |

PERSONAL PROTECTION B

PREPARED BY:
AMERICAN JETWAY
34136 MYRTLE STREET
WAYNE, MI 48184

TEL.: 734-721-5930

ISSUING DATE: 14-APR-2015

REVISION DATE: 13-JUN-2015

REVISION NOTE: NO INFORMATION AVAILABLE

DISCLAIMER:

THE INFORMATION PROVIDED ON THIS SDS IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED AS A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.