# Class C Solutions Group

A business of MSC Industrial Supply Co.

# **Safety Data Sheet**

# Supply Co. - LOCTITE LB 8060 KNOWN AS SILVER GRADE ANTI-SEIZE STICK, 37230

Document Nbr: 077893 Class C Parts IDs LOC37230

SAFETY DATA SHEET

HENKEL

REVISION NUMBER: 001.7

ISSUE DATE: 10/28/2014

----1. PRODUCT AND COMPANY IDENTIFICATION -----

PRODUCT NAME: LOCTITE LB 8060 KNOWN AS SILVER GRADE ANTI-SEIZE STICK

PRODUCT TYPE: LUBRICANT

RESTRICTION OF USE: NONE IDENTIFIED

**IDH NUMBER: 466864** 

ITEM NUMBER: 37230

REGION: UNITED STATES

COMPANY ADDRESS:
HENKEL CORPORATION
ONE HENKEL WAY
ROCKY HILL, CONNECTICUT 06067

CONTACT INFORMATION:

TELEPHONE: (860) 571-5100

MEDICAL EMERGENCY PHONE:

POISON CONTROL CENTER: 1-877-671-4608 (TOLL FREE) OR 1-303-592-1711

TRANSPORT EMERGENCY PHONE:

CHEMTREC: 1-800-424-9300 (TOLL FREE) OR 1-703-527-3887

INTERNET: WWW.HENKELNA.COM

----2. HAZARDS IDENTIFICATION -----

**EMERGENCY OVERVIEW:** 

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

HAZARD CLASS

HAZARD CATEGORY

SKIN CORROSION

1c

SERIOUS EYE DAMAGE

1

PICTOGRAM(S): CORROSION

PRECAUTIONARY STATEMENTS:

#### PREVENTION:

DO NOT BREATHE DUST OR FUMES. WASH THOROUGHLY AFTER HANDLING. WEAR PROTECTIVE GLOVES, EYE PROTECTION, AND FACE PROTECTION.

#### **RESPONSE:**

IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.

IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING.

IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

# IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO REMOVE. CONTINUE RINSING. IMMEDIATELY CALL A POISON CONTROL CENTER OR PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE.

STORAGE: STORE LOCKED UP.

#### DISPOSAL:

DISPOSE OF CONTENTS AND/OR CONTAINER ACCORDING TO FEDERAL, STATE/PROVINCIAL AND LOCAL GOVERNMENTAL REGULATIONS.

CLASSIFICATION COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) AND IS CONSISTENT WITH THE PROVISIONS OF THE UNITED NATIONS GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING OF CHEMICALS (GHS).

SEE SECTION 11 FOR ADDITIONAL TOXICOLOGICAL INFORMATION.

----3. COMPOSITION / INFORMATION ON INGREDIENTS -----

HAZARDOUS COMPONENT(S)	CAS NUMBER	PERCENTAGE*
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	64742-52-5	10 - 30
PETROLEUM DISTILLATES, HYDROTREATED, LIGHT NAPHTHENIC	64742-53-6	10 - 30
GRAPHITE	7782-42-5	10 - 30
CALCIUM OXIDE	1305-78-8	10 - 30
ALUMINUM NOT POWDER, DUST OR FUME	7429-90-5	5 - 10
DISTILLATES (PETROLEUM), STRAIGHT-RUN MIDDLE	64741-44-2	1 - 5

<sup>\*</sup> EXACT PERCENTAGE IS A TRADE SECRET. CONCENTRATION RANGE IS PROVIDED TO ASSIST USERS IN PROVIDING APPROPRIATE PROTECTIONS.

### ----4. FIRST AID MEASURES -----

# **INHALATION:**

MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION.

# SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER (USING SOAP, IF AVAILABLE). GET MEDICAL ATTENTION. WASH CLOTHING BEFORE REUSE.

# EYE CONTACT:

RINSE IMMEDIATELY WITH PLENTY OF WATER, ALSO UNDER THE EYELIDS, FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

# INGESTION:

DO NOT INDUCE VOMITING. ASPIRATION MAY CAUSE PULMONARY EDEMA AND PNEUMONITIS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

SYMPTOMS: SEE SECTION 11.

----5. FIRE FIGHTING MEASURES -----

EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL. FOAM

# SPECIAL FIREFIGHTING PROCEDURES:

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING, SUCH AS TURN-OUT GEAR. IN CASE OF FIRE, KEEP CONTAINERS COOL WITH WATER SPRAY.

UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE

HAZARDOUS COMBUSTION PRODUCTS: OXIDES OF CARBON.

# ----6. ACCIDENTAL RELEASE MEASURES -----

USE PERSONAL PROTECTION RECOMMENDED IN SECTION 8, ISOLATE THE HAZARD AREA AND DENY ENTRY TO UNNECESSARY AND UNPROTECTED PERSONNEL.

ENVIRONMENTAL PRECAUTIONS: DO NOT ALLOW PRODUCT TO ENTER SEWER OR WATERWAYS.

#### CLEAN-UP METHODS:

SCRAPE UP AS MUCH MATERIAL AS POSSIBLE. CLEAN RESIDUE WITH SOAP AND WATER. STORE IN A CLOSED CONTAINER UNTIL READY FOR DISPOSAL.

### ----7. HANDLING AND STORAGE -----

#### HANDLING:

USE ONLY WITH ADEQUATE VENTILATION. PREVENT CONTACT WITH EYES, SKIN AND CLOTHING. DO NOT BREATHE VAPOR AND MIST. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER CLOSED.

STORAGE: KEEP IN A COOL, WELL VENTILATED AREA.

FOR INFORMATION ON PRODUCT SHELF LIFE CONTACT HENKEL CUSTOMER SERVICE AT (800) 243-4874.

# ----8. EXPOSURE CONTROLS / PERSONAL PROTECTION -----

EMPLOYERS SHOULD COMPLETE AN ASSESSMENT OF ALL WORKPLACES TO DETERMINE THE NEED FOR, AND SELECTION OF, PROPER EXPOSURE CONTROLS AND PROTECTIVE EQUIPMENT FOR EACH TASK PERFORMED.

HAZARDOUS COMPONENT(S)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
DISTILLATES (PETROLEUM), HYDROTREATED	5 MG/M3 TWA MIST	5 MG/M3 TWA MIST	NONE	NONE
HEAVY NAPHTHENIC	10 MG/M3 STEL MIST	500 PPM (2,000 MG/M3) PEL		
		5 MG/M3 PEL MIST.		
PETROLEUM DISTILLATES, HYDROTREATED, LIGHT NAPHTHENIC	NONE	500 PPM (2,000 MG/M3) PEL	NONE	NONE
		5 MG/M3		

PEL MIST.

2 MG/M3 TWA 5 MG/M3 PEL NONE NONE GRAPHITE RESPIRABLE RESPIRABLE FRACTION. FRACTION. 15 MG/M3 PEL TOTAL DUST. 15 MPPCF TWA 2 MG/M3 TWA 5 MG/M3 PEL NONE NONE CALCIUM OXIDE NONE NONE NONE NONE ALUMINUM NOT POWDER,

DISTILLATES 5 MG/M3 5 MG/M3 NONE (PETROLEUM), TWA MIST TWA MIST STRAIGHT-RUN MIDDLE

10 MG/M3 STEL MIST

#### ENGINEERING CONTROLS:

DUST OR FUME

USE ONLY WITH ADEQUATE VENTILATION. LOCAL EXHAUST VENTILATION IS RECOMMENDED WHEN GENERAL VENTILATION IS NOT SUFFICIENT TO CONTROL AIRBORNE CONTAMINATION BELOW OCCUPATIONAL EXPOSURE LIMITS.

NONE

#### RESPIRATORY PROTECTION:

IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH. OBSERVE OSHA REGULATIONS FOR RESPIRATOR USE (29 CFR 1910.134). RESPIRATOR WITH COMBINATION FILTER FOR VAPOR/PARTICULATE.

# EYE/FACE PROTECTION:

SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS. SAFETY SHOWERS AND EYE WASH STATIONS SHOULD BE AVAILABLE.

# SKIN PROTECTION:

USE CHEMICAL RESISTANT, IMPERMEABLE CLOTHING INCLUDING GLOVES AND EITHER AN APRON OR BODY SUIT TO PREVENT SKIN CONTACT. NEOPRENE, BUTYL-RUBBER, OR NITRILE-RUBBER GLOVES.

----9. PHYSICAL AND CHEMICAL PROPERTIES -----

PHYSICAL STATE: SOLID

COLOR: SILVER

ODOR: MILD

ODOR THRESHOLD: NOT AVAILABLE.

PH: NOT APPLICABLE

VAPOR PRESSURE: NOT DETERMINED

BOILING POINT/RANGE: NOT AVAILABLE.

MELTING POINT/RANGE: NOT AVAILABLE.

SPECIFIC GRAVITY: 1.10

VAPOR DENSITY: NOT DETERMINED

FLASH POINT:

PRODUCT IS A SOLID. BURN RATE: APPROX 12 MM/2 MINUTES

FLAMMABLE/EXPLOSIVE LIMITS - LOWER: NOT DETERMINED FLAMMABLE/EXPLOSIVE LIMITS - UPPER: NOT DETERMINED

AUTOIGNITION TEMPERATURE: NOT DETERMINED

EVAPORATION RATE: NOT DETERMINED

SOLUBILITY IN WATER: INSOLUBLE

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED

VOC CONTENT: <3%

VISCOSITY: NOT AVAILABLE.

DECOMPOSITION TEMPERATURE: NOT AVAILABLE.

-----10. STABILITY AND REACTIVITY -----

STABILITY: STABLE UNDER NORMAL CONDITIONS OF STORAGE AND USE.

HAZARDOUS REACTIONS: WILL NOT OCCUR.

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON.

INCOMPATIBLE MATERIALS: OXIDIZING AGENTS.

REACTIVITY: NOT AVAILABLE.

CONDITIONS TO AVOID: KEEP AWAY FROM HEAT, SPARK AND FLAME.

-----11. TOXICOLOGICAL INFORMATION -----

RELEVANT ROUTES OF EXPOSURE: SKIN, INHALATION, EYES

POTENTIAL HEALTH EFFECTS/SYMPTOMS:

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION.

SKIN CONTACT: CAUSES SKIN BURNS.

EYE CONTACT: CAUSES SERIOUS EYE DAMAGE.

INGESTION:

INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. PRINCIPAL HAZARD OF INGESTION IS ASPIRATION INTO THE LUNGS AND SUBSEQUENT PNEUMONITIS.

HAZARDOUS COMPONENT(S)

LD50S AND LC50S

IMMEDIATE AND DELAYED

**HEALTH EFFECTS** 

DISTILLATES (PETROLEUM),

NONE

**IRRITANT** 

HYDROTREATED HEAVY

NAPHTHENIC

PETROLEUM DISTILLATES,

NONE

**IRRITANT** 

HYDROTREATED, LIGHT

NAPHTHENIC

GRAPHITE

NONE

LUNG

CALCIUM OXIDE

NONE

IRRITANT, CORROSIVE, EYES

ALUMINUM NOT POWDER,

NONE

CENTRAL NERVOUS SYSTEM,

DUST OR FUME

IRRITANT, LUNG

DISTILLATES (PETROLEUM),

NONE

IRRITANT

STRAIGHT-RUN MIDDLE

HAZARDOUS COMPONENT(S)

NTP CARCINOGEN IARC CARCINOGEN

OSHA CARCINOGEN
(SPECIFICALLY

REGULATED)

DISTILLATES (PETROLEUM),

, NO

NO

NO

DISTILLATES (TETROLLOM),

PETROLEUM DISTILLATES,

HYDROTREATED HEAVY

NAPHTHENIC

NO

NO

NO

HYDROTREATED, LIGHT

NAPHTHENIC

GRAPHITE

NO

NO

NO

CALCIUM OXIDE

NO

NO

NO

ALUMINUM NOT POWDER,

NO

NO

NO

DUST OR FUME

DISTILLATES (PETROLEUM), NO STRAIGHT-RUN MIDDLE

NO

NO

----12. ECOLOGICAL INFORMATION -----

ECOLOGICAL INFORMATION: NOT AVAILABLE.

-----13. DISPOSAL CONSIDERATIONS -----

INFORMATION PROVIDED IS FOR UNUSED PRODUCT ONLY.

RECOMMENDED METHOD OF DISPOSAL:

FOLLOW ALL LOCAL, STATE, FEDERAL AND PROVINCIAL REGULATIONS FOR DISPOSAL.

HAZARDOUS WASTE NUMBER: NOT A RCRA HAZARDOUS WASTE.

-----14. TRANSPORT INFORMATION -----

THE TRANSPORT INFORMATION PROVIDED IN THIS SECTION ONLY APPLIES TO THE MATERIAL/FORMULATION ITSELF, AND IS NOT SPECIFIC TO ANY PACKAGE/CONFIGURATION.

U.S. DEPARTMENT OF TRANSPORTATION GROUND (49 CFR):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

WATER TRANSPORTATION (IMO/IMDG):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

----15. REGULATORY INFORMATION -----

UNITED STATES REGULATORY INFORMATION:

TSCA 8 (B) INVENTORY STATUS:

ALL COMPONENTS ARE LISTED OR ARE EXEMPT FROM LISTING ON THE TOXIC SUBSTANCES CONTROL ACT INVENTORY.

TSCA 12 (B) EXPORT NOTIFICATION: NONE ABOVE REPORTING DE MINIMIS

CERCLA/SARA SECTION 302 EHS: NONE ABOVE REPORTING DE MINIMIS

CERCLA/SARA SECTION 311/312: IMMEDIATE HEALTH, DELAYED HEALTH

CERCLA/SARA SECTION 313: NONE ABOVE REPORTING DE MINIMIS

CALIFORNIA PROPOSITION 65:

NO CALIFORNIA PROPOSITION 65 LISTED CHEMICALS ARE KNOWN TO BE PRESENT.

CANADA REGULATORY INFORMATION:

CEPA DSL/NDSL STATUS:

ALL COMPONENTS ARE LISTED ON OR ARE EXEMPT FROM LISTING ON THE CANADIAN DOMESTIC SUBSTANCES LIST.

-----16. OTHER INFORMATION -----

THIS SAFETY DATA SHEET CONTAINS CHANGES FROM THE PREVIOUS VERSION IN SECTIONS: NEW SAFETY DATA SHEET FORMAT.

PREPARED BY: LOU FABRIZIO, REGULATORY AFFAIRS SPECIALIST

ISSUE DATE: 10/28/2014

#### DISCLAIMER:

THE DATA CONTAINED HEREIN ARE FURNISHED FOR INFORMATION ONLY AND ARE BELIEVED TO BE RELIABLE. HOWEVER, HENKEL CORPORATION AND ITS AFFILIATES ("HENKEL") DOES NOT ASSUME RESPONSIBILITY FOR ANY RESULTS OBTAINED BY PERSONS OVER WHOSE METHODS HENKEL HAS NO CONTROL. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF HENKEL'S PRODUCTS OR ANY PRODUCTION METHODS MENTIONED HEREIN FOR A PARTICULAR PURPOSE, AND TO ADOPT SUCH PRECAUTIONS AS MAY BE ADVISABLE FOR THE PROTECTION OF PROPERTY AND PERSONS AGAINST ANY HAZARDS THAT MAY BE INVOLVED IN THE HANDLING AND USE OF ANY HENKEL'S PRODUCTS. IN LIGHT OF THE FOREGOING, HENKEL SPECIFICALLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM SALE OR USE OF HENKEL'S PRODUCTS. HENKEL FURTHER DISCLAIMS ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING LOST PROFITS.