According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shall Potolla ELC Nitrita Eroa Pro Diluted 5

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018		DS Number: 00001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
SECTION	I 1. IDENTIFICATION			
Prod	uct name	:	Shell Rotella ELC	Nitrite Free Pre-Diluted 50/50
Prod	uct code	:	001F1652	
Man	ufacturer or supplier's	deta	ails	
Manı	ufacturer/Supplier	:	Shell Oil Product PO Box 4427 Houston TX 772 USA	
	Request omer Service	:	(+1) 877-276-728	35
Eme	rgency telephone num	ber		
Spill		:	877-504-9351 877-242-7400	
SECTION	Dommended use	ICA	-	
	e toxicity (Oral)			
	ific target organ toxicity eated exposure	:	Category 2 (Kidn	ey)
GHS	label elements			
Haza	ard pictograms	:		
Signa	al word	:	Warning	
Haza	ard statements	:	HEALTH HAZAR H302 Harmful if s H373 May cause peated exposure ENVIRONMENT	a physical hazard under GHS criteria. DS: swallowed. damage to organs through prolonged or re- if swallowed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018	SDS Number: 800001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
Preca	autionary statements		nds thoroughly after handling. at, drink or smoke when using this product.
		Response: P301 + P312 I if you feel unw P330 Rinse mo	
		Storage: No precaution	ary phrases.
		Disposal: P501 Dispose posal plant.	of contents/ container to an approved waste dis-
Conta	rdous components wh ains ethanediol. ains bittering agent.	ich must be listed on t	he label:
Othe	r hazards which do r	ot result in classification	ation
death	۱.	r other massive expos aterial is based on OSI	sure may cause multiple organ damage and or

Chemical nature

: Mixture of ethylene glycol, water and additives.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Diethylene glycol	2,2'-	111-46-6	1 - 3
	oxydiethanol		
Ethanediol	ethane-1,2-diol	107-21-1	40 - 60

SECTION 4. FIRST-AID MEASURES

General advice	:	DO NOT DELAY. Keep victim calm. Obtain medical treatment immediately.
If inhaled	:	Remove to fresh air. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018		DS Number: 0001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
lf swa	allowed	:	medical facility for	ot induce vomiting: transport to nearest additional treatment. If vomiting occurs eep head below hips to prevent aspiration.
	important symptoms effects, both acute and red	:	increased or decr can include nause lumbar pain short death. High concentratio pression resulting	ay be recognized by blood in the urine or eased urine flow. Other signs and symptoms ea, vomiting, abdominal cramps, diarrhoea, ly after ingestion, and possibly narcosis and ns may cause central nervous system de- in headaches, dizziness and nausea; con- may result in unconsciousness and/or death.
Prote	ection of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
medi	ation of any immediate cal attention and special nent needed	:	The preferred treatical facility and us administration of a gastric aspiration, able and a delay of such medical atter may be appropria there are any sign sidered on a case Specific other treating	ATMENT IS EXTREMELY IMPORTANT! atment is immediate transportation to a med- e of appropriate treatment including possible activated charcoal, gastric lavage and or If none of the above are immediately avail- of more than one hour is anticipated before ntion can be obtained, induction of vomiting te using IPECAC syrup (Contraindicated if as of CNS depression). This should be con- by case basis following specialist advice. atments may include ethanol therapy, fomep- acidosis and haemodialysis. Seek specialist lay.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Versio 3.0	on	Revision Date: 08/14/2018		0S Number: 0001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
				Breathing Appara a confined space.	spilled product is expected. Self-Contained tus must be worn when approaching a fire in Select fire fighter's clothing approved to s (e.g. Europe: EN469).
SECT	FION 6.		AS	E MEASURES	
ti	ive equ	al precautions, protec- ipment and emer- procedures	:	Avoid contact with	n skin and eyes.
E	Environ	mental precautions	:	nation. Prevent fro	ontainment to avoid environmental contami- om spreading or entering drains, ditches or nd, earth, or other appropriate barriers.
				Local authorities s cannot be contain	should be advised if significant spillages ed.
		s and materials for ment and cleaning up	:	means such as va safe disposal. Do as contaminated up with an approp	ills (> 1 drum), transfer by mechanical acuum truck to a salvage tank for recovery or not flush away residues with water. Retain waste. Allow residues to evaporate or soak riate absorbent material and dispose of ontaminated soil and dispose of safely
				means to a labele safe disposal. Allo appropriate absor	wills (< 1 drum), transfer by mechanical d, sealable container for product recovery or ow residues to evaporate or soak up with an bent material and dispose of safely. Remove and dispose of safely.
Ļ	Additior	nal advice	:	see Chapter 8 of	election of personal protective equipment his Safety Data Sheet. disposal of spilled material see Chapter 13 of sheet.
				Local authorities s cannot be contain	should be advised if significant spillages ed.
				al to the environm	nay require reporting releases of this materi- ent which exceed the reportable quantity 15) to the National Response Center at

SECTION 7. HANDLING AND STORAGE

Technical measures	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri-
	sessment of local circumstances to help determine appropri

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018		DS Number: 00001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
			ate controls for sa material.	afe handling, storage and disposal of this
Advic	e on safe handling	:	Avoid inhaling va When handling pi worn and proper l	or repeated contact with skin. pour and/or mists. roduct in drums, safety footwear should be handling equipment should be used. of any contaminated rags or cleaning mate- revent fires.
Avoidance of contact		:	Strong oxidising agents.	
Further information on stor- age stability		:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.	
Packa	aging material	:	steel or high dens	For containers or container linings, use mild sity polyethylene. al: Zinc., Avoid contact with galvanized ma-
Conta	iner Advice	:		tainers should not be exposed to high tem- e of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Ethanediol	107-21-1	TWA (Va-	25 ppm	ACGIH
		pour)		
Ethanediol		STEL (Va-	50 ppm	ACGIH
		pour)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	 General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
Personal protective equipmen	
Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precau- tions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentra- tions to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the spe- cific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appro-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018	SDS Number: 800001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
		Select a filter s	tion of mask and filter. uitable for the combination of organic gases Type A/Type P boiling point >65°C (149°F)].
Hand	protection		
R	emarks	gloves approve US: F739) mad suitable chemi gloves Suitabil usage, e.g. fre sistance of glo glove suppliers Personal hygie Gloves must o gloves, hands cation of a non For continuous through time o 480 minutes w short-term/spla recognize that may not be ava time maybe ac and replaceme a good predict dependent on Glove thicknes	ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide cal protection. PVC, neoprene or nitrile rubber ity and durability of a glove is dependent on quency and duration of contact, chemical re- ve material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. one is a key element of effective hand care. Inly be worn on clean hands. After using should be washed and dried thoroughly. Appli- -perfumed moisturizer is recommended. a contact we recommend gloves with break- f more than 240 minutes with preference for > here suitable gloves can be identified. For ash protection we recommend the same, but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance out regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm the glove make and model.
Eyeı	protection		andled such that it could be splashed into eyes, wear is recommended.
Skin	and body protection	work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Prote	ective measures		ctive equipment (PPE) should meet recom- al standards. Check with PPE suppliers.
Ther	mal hazards	: Not applicable	

Environmental exposure controls

must be observed for the discharge of exhaust air containing
--

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017
		vapour.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	red
Odour	:	characteristic
Odour Threshold	:	Data not available
рН	:	Not applicable
Melting point/freezing point	:	-37 °C / -35 °F
Initial boiling point and boiling range	:	> 100 °C / 212 °F estimated value(s)
Flash point	:	Not applicable
Evaporation rate	:	Data not available
Flammability (solid, gas)	:	Data not available
Upper explosion limit / upper flammability limit	:	Typical 15 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 3 %(V)
Vapour pressure	:	Data not available
Relative vapour density	:	Data not available
Relative density	:	1.075 (15.6 °C / 60.1 °F)
Density	:	1,075 kg/m3 (15.6 °C / 60.1 °F) Method: Unspecified
Solubility(ies) Water solubility	:	completely soluble
Solubility in other solvents	:	Data not available
Partition coefficient: n- octanol/water	:	Data not available
Auto-ignition temperature	:	> 200 °C / 392 °F
Decomposition temperature	:	Data not available
Viscosity		

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version 3.0	Revision Date: 08/14/2018	SDS Number: 800001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017		
Viscosity, dynamic Viscosity, kinematic		Data not availableData not available			
Conductivity		: This material is not expected to be a static accumulator.			
SECTION	10. STABILITY AND	REACTIVITY			

ECTION 10. S J

Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity :	LD50 (rat): > 500 - 2,000 mg/kg Remarks: Harmful if swallowed.
	Remarks: There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs. Ingestion may cause drowsiness and dizziness.
Acute inhalation toxicity :	LC 50 (Rat): > 5 mg/l Exposure time: 4 h Remarks: Low toxicity:
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

5/2018 ie: 09/04/2017
-

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks:	Slightly	irritating to	the eye.,	Based or	n available	data,	the classif	fication	criteria a	are not
met.										

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Kidney: can cause kidney damage.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).
Ecotoxicity		
<u>Product:</u> Toxicity to fish (Acute toxici- ty)	:	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- icity)	:	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Vers 3.0	on Revision Date: 08/14/2018		9S Number: 0001030651	Print Date: 08/15/2018 Date of last issue: 09/04/2017
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		Remarks: Data no	ot available
	Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data no	ot available
	Persistence and degradabil	ity		
	Product: Biodegradability	:	Remarks: Readily	v biodegradable.
	Bioaccumulative potential			
	Product: Bioaccumulation	:	Remarks: Does n	ot bioaccumulate significantly.
	Mobility in soil			
	Product:			
	Mobility	:		
	Other adverse effects			
	Product: Additional ecological infor- mation	:		one depletion potential, photochemical ot global warming potential.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	ecover or recycle if possible. is the responsibility of the was exicity and physical properties of etermine the proper waste clas ds in compliance with applicab o not dispose into the environr purses	of the material generated to sification and disposal meth- le regulations.
	aste product should not be all round water, or be disposed of aste, spills or used product is	into the environment.
Contaminated packaging	ispose in accordance with prevolution a recognized collector or cont	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017
		Disposal should	contractor should be established beforehand. d be in accordance with applicable regional, ocal laws and regulations.
Loca	II legislation		d be in accordance with applicable regional,
Rema	arks		ocal laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transpo UN/ID/NA number	ation Classification (49 CFR Parts 171-180) : UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene glycol)
Class	: 9
Packing group	: 111
Labels	: 9
Reportable quantity	Ethylene glycol (5,000 lb)
ERG Code	: 171
Marine pollutant	: no
Remarks	: This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
------------	---------	--------------	-----------------------

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017

		(lbs)	(lbs)
Ethanediol	107-21-1	5000	*
* Coloriated BO exceeds recompany attainable upper limit		"limit Chall alaas	ifian this motorial as an

*: Calculated RQ exceeds reasonably attainable upper limit., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of Specific target organ toxic	. ,	ated exposure)
SARA 313	:	The following components tablished by SARA Title II		porting levels es-
		Ethanediol	107-21-1	>= 30 - < 50 %

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Pennsylvania Right To Know	
Ethanediol	107-21-1
Diethylene glycol	111-46-6

California Prop. 65

WARNING: This product can expose you to chemicals including Ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Ethanediol 107-21-1
Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

EINECS	:	Not established.
TSCA	:	All components listed.
DSL	:	All components listed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version Revision Date: 3.0 08/14/2018 SDS Number: 800001030651 Print Date: 08/15/2018 Date of last issue: 09/04/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 2, 1, 0 tivity)

Full text of other abbreviations

ACGIH ACGIH / TWA ACGIH / STEL Abbreviations and Acronyms	 USA. ACGIH Threshold Limit Values (TLV) 8-hour, time-weighted average Short-term exposure limit The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites. 	
	ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicolo- gy Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dangerous Goods INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 50/50

Version	Revision Date:	SDS Number:	Print Date: 08/15/2018
3.0	08/14/2018	800001030651	Date of last issue: 09/04/2017
		 KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading LL50 = Lethal Loading fifty MARPOL = International Convention for the Prevention of Pollution From Ships NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level OE_HPV = Occupational Exposure - High Production Volume PBT = Persistent, Bioaccumulative and Toxic PICCS = Philippine Inventory of Chemicals and Chemical Substances PNEC = Predicted No Effect Concentration Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control Act TWA = Time-Weighted Average vPvB = very Persistent and very Bioaccumulative 	

A vertical bar () in the left margin indicates an amendment from the previous version. Due to a change in detail in Section 15, this document has been released as a significant change.

Revision Date

: 08/14/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN