

SpecPrep SB Part A

Version 1 pg. 1

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): SpecPrep SB Part A

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Epoxy bonding adhesive

1.3 Company Name: SpecChem

Company Address: 1511 Baltimore Ave; Suite 600 Company Address Cont: Kansas City, MO 64108

Business Phone: (816) 968-5600 Website: www.specchemllc.com

1.4 Emergency Telephone Number: Chemtrec: (800) 424-9300

Date of Last Revision: March 9, 2015
Date of Current Revision: July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

US DOT Symbols: Not Regulated

EU and GHS Symbols:

Signal Word: Warning

Components Contributing to Classification: Bisphenol-A-(epichlorohydrin) epoxy

resin(number average molecular weight ≤ 700)

2.2 Label Elements:

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation. **Hazard Statements:**Causes skin irritation.

Causes serious eye irritation. May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects. Contains epoxy constituents. May produce an

allergic reaction.

Precautionary Statements: Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out

of the workplace.

Wear protective gloves/protective clothing/eye

protection/face protection.

Response Statements: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.



SpecPrep SB Part A

Version 1 pg. 2

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical

advice/attention.

If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

Storage Statements: Store in a well-ventilated place. Keep container tightly

closed.

Disposal Statements: Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Health Hazards or Risks From Exposure:

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal

compounds or formaldehydes.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Bisphenol A Diglycidyl	60-70%	25068-38-6	500-033-5	Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, Aquatic Chronic 2
Ether Resin				CHIOHIC Z

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor. · After swallowing: Drink plenty of water and

provide fresh air. Call for a doctor immediately.

Skin Contact: Immediately wash with water and soap and rinse thoroughly.

Inhalation: Supply fresh air and to be sure call for a doctor.

Ingestion: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Medical Conditions Generally Aggravated

By Exposure: No further relevant information available.

4.2 Symptoms and Effects Both Acute and Delayed: No further relevant information available.

4.3 Recommendations to Physicians: No further relevant information available.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:



SpecPrep SB Part A

Version 1 pg. 3

Use the following fire extinguishing materials: Water Spray: Yes

Carbon Dioxide: Yes

Powder: Yes

5.2 Unusual Fire and Explosion Hazards:

Formation of toxic gases is possible during heating or in case of fire.

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

5.3 For safety reasons unsuitable extinguishing agents:

Water with full jet.

5.4 Special Fire-Fighting Procedures:

- Structural firefighters must wear Self-Contained Breathing
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental Precautions:

Inform respective authorities in case of seepage into water course or sewage system. Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean the affected area carefully; suitable cleaners are: Warm water

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Ensure good ventilation/exhaustion at the workplace.



SpecPrep SB Part A

Version 1 pg. 4

7.2 Information about fire - and explosion protection:

Protect from heat.

7.3 Further information about storage conditions:

Keep container tightly sealed. Store receptacle in a well ventilated area.

7.4 Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles. Store in a cool location.

7.5 Specific Uses:

No further relevant information available.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Additional information about design of technical facilities:

No further data; see item 7.

8.2 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Not required.

Additional information:

The lists valid during the making were used as basis.

8.3 Exposure controls

Personal protective equipment:

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands: Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses.

Tightly sealed goggles.

Body protection:

Use protective suit. Boots.



SpecPrep SB Part A

Version 1 pg. 5

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): White

Odor: Mild

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

Boiling Point: >212°C **Flash Point:** 252°C

Danger of Explosion: Product does not present explosion hazard.

Vapor Pressure (hPa @ 77°C): 0.03 hPa Relative Density (@ 20°C): 1.06g/cm³ ± 0.02

Solubility in Water: soluble

9.2 Other information:

No further relevant information available.

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: No decomposition if used and stored according to

specifications.

10.3 Possibility of Hazardous Reactions: Reacts with amines.

Reacts with acids, alkalis and oxidizing agents.

No further relevant information available.

No further relevant information available.

<u>10.5 Incompatible Substances:</u> No further relevant information available <u>10.6 Hazardous Decomposition Products</u>: Carbon monoxide and carbon dioxide.

SECTION 11 – TOXICOLOGY INFORMATION

10.4 Conditions to Avoid:

11.1 Information on Toxicological Effects:

Acute Toxicity:

· LD/LC50 values relevant for classification:

25068-38-6 Reaction product: Bisphenol-A-(epichlorohydrin) epoxy resin(number average molecular weight ≤ 700)

Oral LD50 >5000 mg/kg (rat)
Dermal LD50 20000 mg/kg (rabbit)

Irritancy: Skin, eye irritant.

Sensitization to the Product: May cause sensitization by skin contact.



SpecPrep SB Part A

Version 1 pg. 6

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity:

- Aquatic toxicity:

25068-38-6 Reaction product: Bisphenol-A-(epichlorohydrin) epoxy resin

(number average molecular weight ≤ 700)

EC50 1.8 mg/kg (daphnia)

12.2 Persistence and Degradability: Not easily biodegradable.

12.3 Bioaccumulative Potential: 12.4 Mobility in Soil:No further relevant information available.
No further relevant information available.

12.5 Results of PBT and vPvB Assessment:
Not applicable.
12.6 Other Adverse Effects:
No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:Must not be disposed together with household

garbage. Do not allow product to reach sewage

system.

13.2 Uncleaned packaging: Disposal must be made according to official

regulations.

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: 3082

UN proper Shipping Name:3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Epoxy resin)

Hazard Class Number and Description:

Packing Group:

9 Miscellaneous dangerous substances and articles.

Ш

North American Emergency Response

Guidebook Number: None

14.2 Environmental Hazards:



SpecPrep SB Part A

Version 1 pg. 7

Marine Pollutant: The components of this product are designated by the

Department of Transportation to be Marine Pollutants

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User: None

14.4 International Air Transport Association

Shipping Information (IATA): This product is considered as dangerous goods.

14.5 International Maritime Organization

Shipping Information (IMO):

UN Identification Number: 3082

Proper Shipping Name: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Epoxy resin)

Hazard Class Number and Description:

Packing Group:

9 Miscellaneous dangerous substances and articles.

EMS-No: F-A, S-F

SECTION 15 - REGULATORY INFORMATION

15.1 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16 – OTHER INFORMATION

Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET



SpecPrep SB Part B

Version 1 pg. 1

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): SpecPrep SB Part B

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Hardener for coating systems

1.3 Company Name: SpecChem

Company Address: 1511 Baltimore Ave; Suite 600

Company Address Cont: Kansas City, MO 64108

Business Phone: (816) 968-5600 Website: www.specchemllc.com

1.4 Emergency Telephone Number: Chemtrec: (800) 424-9300

Date of Last Revision: March 25, 2016
Date of Current Revision: July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

US DOT Symbols: Not Regulated

EU and GHS Symbols:

Signal Word: Danger

Components Contributing to Classification: Benzyldimethylamine, 2-ethylhexanoic acid

2.2 Label Elements:

Hazard Statements:

GHS Hazard Classifications: Skin corrosion/irritation – Category 2

Serious eye damage/eye irritation – Category 1
Toxic to reproduction [unborn child]–Category 2
Causes serious eye damage. Causes skin
irritation. Suspected of damaging the unborn

child.

Precautionary Statements:Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective: > 8 hours (breakthrough time): butyl rubber, Ethyl Vinyl Alcohol Laminate (EVAL). Wear eye or face protection. Wash hands thoroughly after handling. IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before use. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several



SpecPrep SB Part B

Version 1 pg. 2

minutes. Remove contact lenses, if present and east to do. Continue rinsing. Dispose of contents and container in accordance with all local, regional, national and international regulations.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.
Benzyldimethylamine	3-7	103-83-3
2-ethylhexanoic	3-7	149-57-5
Balance of other ingredients are non-bazardous or less than 1% in conc	entration (or 0.1%	for carcinogene, reproductive toxine, or

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: Get medical attention immediately. Call a poison center or physician.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated

promptly by a physician.

Skin Contact: Get medical attention immediately. Call a poison center or physician.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Get medical attention immediately. Call a poison center or physician.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person in conscious, give small amounts of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

Inhalation: Get medical attention immediately. Call a poison center or physician.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.



SpecPrep SB Part B

Version 1 pg. 3

> If not breathing, if breathing is irregular or if respiratory arrests occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medial surveillance for 48

hours.

Most important symptoms/effects, acute and delayed

Potential acute health effects:

Eye Contact: Causes serious eve damage.

Inhalations: May give off gas, vapor or dust that is very irritating or corrosive to the

respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin Contact: Causes skin irritation.

Ingestion: May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye Contact: Adverse symptoms may include the following:

> Watering Redness

Inhalation: Adverse symptoms may include the following:

> Reduced fetal weight Increase in fetal deaths Skeletal malformations

Ingestion: Adverse symptoms may include the following:

Stomach pains Reduced fetal weight Increase in fetal deaths Skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Symptomatic and supportive therapy as needed. Following severe

exposure medical follow-up should be monitored for at least 48 hours. Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation. Wash contaminated clothing thoroughly with water before

removing it, or wear gloves.

SECTION 5 – FIRE FIGHTING MEASURES

Flash point: Closed cup: >100°C (>212°F) [Data based on tests on similar products]



SpecPrep SB Part B

Version 1 pg. 4

Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.\ **Unsuitable extinguishing media:** None known.

Specific hazards arising from the chemical: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products:

Decomposition products may include the following materials: Carbon Dioxide, Carbon Monoxide, Nitrogen Gases.

Special Protective Actions for Fire-Fighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident of there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective Equipment for Fire-Fighters:

Fire-Fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

<u>Personal Precautions, Protective Equipment and Emergency Procedures:</u> For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental Precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.



SpecPrep SB Part B

Version 1 pg. 5

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling

Protective measures:

Put on appropriate protective equipment (see Section 8). Avoid exposure-obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do no reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Removed contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store between the following temperatures: 2 to 40°C (35.6 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready to sue. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

Occupational exposure limits:

Ingredient Name	Exposure Limits
2-ethylhexanoic acid	ACGIH TLV (United States, 6/2013).
2-ethylnexanolc acid	TWA: 4 mg/m ³ 8 hours. Form: Inhalable fraction and vapor.

Appropriate engineering controls: If user operations generate dust, fumes, gas,

vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls

to keep worker exposure to airborne contaminants below any recommended or

statutory limits.

Environmental exposure controls: Emissions from ventilation or work process

equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to



SpecPrep SB Part B

Version 1 pg. 6

Individual protection measures:

Hygiene measures:

Eye/face protection:

Hand protection:

Body protection:

Other skin protection:

Respiratory protection:

the process equipment will be necessary to reduce emissions to acceptable levels.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eye wash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): butyl rubber, Ethyl Vinyl Alcohol Laminate (EVAL).

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard



SpecPrep SB Part B

Version 1 pg. 7

if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards: Not available.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Light yellow liquid

Odor: Slight

Odor Threshold: No data available

pH: Not available

Melting/Freezing Point: No data available

Boiling Point: Not available

Flash Point: Closed cup: >100°C (>212°F) [Data based on tests on similar product]

Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): Not available

Vapor Density: No data available Relative Density: Not available Solubility in Water: Soluble

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** >140°C (>284°F)

Density: 1.04 g/cm³

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity:No specific test data related to reactivity available for this

product or its ingredients. This product is stable.

<u>10.2 Stability:</u> This product is stabl

10.3 Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to Avoid:No specific data. **10.5 Incompatible Substances:**No specific data.

10.6 Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:



SpecPrep SB Part B

Version 1 pg. 8

Acute toxicity

Product/Ingredient Name	Test	Endpoint	Species	Result
Benzyldimethylamine	No official guidelines	LC50 Inhalation Vapor	Rat-Male, Female	2052 mg/m ³
	No official guidelines	LD50 Dermal	Rabbit – Male	1.66 ml/kg
	No official guidelines	LD50 Oral	Rat-Male, Female	579 mg/kg
2-ethylhexanoic acid	OECD 402 Acute	LD50 Dermal	Rat-Male, Female	>2000 mg/kg
•	Dermal Toxicity			
	OECD 401 Acute	LD50 Oral	Rat – Female	2043 mg/kg
	Oral Toxicity			

Irritation/Corrosion

Product/Ingredient Name	Test	Species	Result
Benzyldimethylamine	enzyldimethylamine OECD 404 Acute Dermal Irritation/Corrosion		Skin – Corrosive
	No official guidelines	Rabbit	Eyes – Severe Irritant
2-ethylhexanoic acid OECD 404 Acute De Irritation/Corrosion		Rabbit	Skin – non-irritant
	OECD 405 Acute Eye Irritation/Corrosion	Rabbit	Eyes – non-irritant

Conclusion/Summary

Skin

Benzyldimethylamine
2-ethylhexanoic acid
Non-irritating to the skin.
Severely irritating to eyes.
2-ethylhexanoic acid
Non-irritating to the eyes.
Non-irritating to the eyes.
Non-irritating to the eyes.
No additional information.
2-ethylhexanoic acid
No additional information.

Sensitization

Product/Ingredient Name	Test	Route of Exposure	Species	Result
Benzyldimethylamine	OECD 406 Skin	Skin	Guinea pig	Not sensitizing
	Sensitization			
2-ethylhexanoic acid	OECD 406 Skin Sensitization	Skin	Guinea pig	Not sensitizing

Mutagenicity

Product/Ingredient Name	Test	Result
i i daddanigi daloni i tamo		recuit



SpecPrep SB Part B

Version 1 pg. 9

Benzyldimethylamine	Experiment: In vitro	Negative
	Subject: Bacteria	
	Metabolic activation: +/-	
	Experiment: In vitro	Negative
	Subject: Mammalian-Animal	_
	Experiment: In vivo	Negative
	Subject: Mammalian-Animal	
	Cell: Somatic	
2-ethylhexanoic acid	Experiment: In vitro	Negative
	Subject: Bacteria	_
	Metabolic activation: +/-	
	Experiment: In vitro	Negative
	Subject: Mammalian-Animal	
	Cell: Somatic	
	Experiment: In vivo	Negative
	Subject: Mammalian-Animal	_

Conclusion/Summary:

Benzyldimethylamine

No mutagenic effect.

Carcinogenicity

Conclusion/Summary:

2-ethylhexanoic acid

A study in animals has shown that doses

produce embryo/foetotoxic effects.

Product/Ingredient Name	Test	Species	Maternal toxicity	Fertility	Developmental Effects
2-ethylhexanoic acid	-	Rat- Male, Female	Negative	Equivocal	Positive

Conclusion/Summary:

Benzyldimethylamine

In accordance with section 1 of Regulation (EC) No 1907/2006, Annex XI, this test does not appear scientifically necessary.

Teratogenicity

Product/Ingredient Name	Test	Species	Result/Result Type
2-ethylhexanoic acid	EPA CFR	Rat – Female	Positive - Oral

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure: Not available.

Potential acute health effects

Eye Contact: Causes serious eye damage.



SpecPrep SB Part B

Version 1 pg. 10

Inhalation: May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system. Exposure to

decomposition products may cause health hazard. Serious

effect may be delayed following exposure.

Skin Contact: Causes skin irritation.

Ingestion: May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical, and toxicological characteristics

Eye Contact: Adverse symptoms may include the following:

Pain watering redness

Inhalation: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin Contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion: Adverse symptoms may include the following:

stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effect from short and long term exposure

Short term exposure

Potential immediate effects: Not available. Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available. **Potential delayed effects:** Not available.

Potential chronic health effects

Product/Ingredient Name	Test	Endpoint	Species	Result
Benzyldimethylamine	OECD 407 Repeated	Sub-acute NOAEL	Rat- Male, female	150 mg/kg
	Dose 28-day Oral	Oral		
	Toxicity Study in Rodents			
2-ethylhexanoic acid	EPA OPPTS EPA	Sub-chronic	Rat-Male, Female	300 mg/kg
	OPP .82-2	NOAEL Oral		

General:

Carcinogenicity:

No known significant effects or critical hazards.



SpecPrep SB Part B

Version 1 pg. 11

Teratogenicity:

Developmental Effects:

Fertility Effects:

Suspected of damaging the unborn child.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity
Acute toxicity estimates

Not available.

Other information: Not available.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity:

Product/Ingredient	Test	End Point	Exposure	Species	Result
Name					
	DIN DIN 38412 Part 8	Acute EC50	17 Hours Static	Bacteria	749.6 mg/l
	EU EC C.2 Acute Toxicity for Daphnia	Acute EC50	48 Hours Static	Daphnia	>100 mg/l
	EU EC C.3 Algal Inhibition Test	Acute ErC50 (growth rate)	72 Hours Static	Algae	1.34 mg/l
Benzyldimethylamine	OEDC 203 Fish, Acute Toxicity Test	Acute LC50	96 Hours Static	Fish	37.8 mg/l
	DIN DIN 38412 Part 8	Chronic EC10	17 Hours Static	Bacteria	534 mg/l
	EU EC C.3 Algal Inhibition Test	Chronic LOAEL	72 Hours Static	Algae	0.24 mg/l
	EU	Chronic NOEC	21 Days Semi-Static	Daphnia	0.789 mg/l
	OECD 202: Part I (Daphnia sp., acute immobilization test)	Acute EC50	48 Hours Static	Daphnia	85.4 mg/l
	DIN DIN 38412 part 9	Acute EgC50	72 Hours Static	Algae	49.3 mg/l
2-ethylhexanoic acid	OECD 203 Fish, Acute Toxicity Test	Acute LC50	96 Hours Static	Fish	180 mg/l
2-etriyirlexanoic acid	DIN DIN 38412 Part 8	Chronic EC10	17 Hours Static	Bacteria	71.7 mg/l
	DIN DIN 38412 Part 9	Chronic LOAEL	72 Hours Static	Algae	32 mg/l
	OECD 211 Daphnia Magna Reproduction Test	Chronic NOECr	21 Days Semi-static	Daphnia	25 mg/l

Conclusion/Summary: Benzyldimethlamine

Harmful to aquatic organisms if run directly to surface waters.



SpecPrep SB Part B

Version 1 pg. 12

Persistence and degradability

Product/Ingredient Name	Test	Period	Result	
Benzyldimethylamine	OECD 301C Ready	28 Days	0 to 2 %	
	Biodegradability – Modified			
	MITI Test (I)			
2-ethylhexanoic	OECD 301E Ready	28 Days	99 %	
-	Biodegradability - Modified			
	OECD Screening Test			

Conclusion/Summary: Proprietary Component #1 Not readily biodegradable.

Product/Ingredient Name	Aquatic half-life	Photolysis	Biodegradability
Benzyldimethylamine	-	-	Not readily
2-ethylhexanoic acid	-	-	Readily

Bioaccumulative potential

Product/Ingredient Name	LogP _{ow}	BCF	Potential
Benzyldimethylamine	1.98	2.1 to 22	Low
2-ethylhexanoic acid	2.7	60	Low

Mobility in soil

Not available.

Other adverse effects: No known significant effects or critical hazards.

Other ecological information

BOD5: Not determined. COD: Not determined. TOC: Not determined.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.



SpecPrep SB Part B

Version 1 pg. 13

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: Not Regulated

Proper Shipping Name:
Hazard Class Number and Description:
None
Packing Group:
None
DOT Label(s) Required:
None

North American Emergency Response

Guidebook Number: None

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are designated by the

None

Department of Transportation to be Marine Pollutants

This product is considered as dangerous goods.

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association

Shipping Information (IATA):

14.5 International Maritime Organization

Shipping Information (IMO):

UN Identification Number: Not regulated

Proper Shipping Name:
Hazard Class Number and Description:
None
Packing Group:
None
EMS-No:
None

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product

United States Regulations

TSCA 8(b) inventory: All components are listed or exempted.

TSCA 5(a) 2 Final Significant

new use rule (SNUR):No ingredients listed.

TSCA 5(e) substance consent

order: No ingredients listed.

TSCA 12(b) export notification: No ingredients listed.

SARA 311/312: Immediate (acute) health hazard

Delayed (chronic) health hazard

Clean Air Act - Ozone

Depleting Substances (ODS): This product does not contain nor is it manufactured with ozone

depleting substances.



SpecPrep SB Part B

Version 1 pg. 14

SARA 313: No ingredients listed.

CERCLA Hazardous Substances: No ingredients listed.

State Regulations

PENNSYLVANIA – RTK: No ingredients listed.

California Prop 65: This product contains no listed substances known to the State of

California to cause cancer, birth defects or other reproductive harm, at

levels which would require a warning under the statute.

Canadian Regulations

CEPA DSL: At least one component not listed.

WHMIS Classes: Class D-1B: Material causing immediate and serious toxic effect

(Toxic.)

Class E: Corrosive material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all information required by the Controlled Products Regulations.

Brazil Regulations

Classification system used: Norma ABNT-NBR 14725-2:2012

International lists: Australia Inventory (AICS): At least one component not listed.

China Inventory (IECSC): At least one component not listed.

Japan Inventory: All components are listed or exempted.

Korea Inventory: At least one component is not listed.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): At least one

component not listed.

Philippines Inventory (PICCS): At least one component is not listed.

Taiwan Inventory (CSNN): Not determined.

SECTION 16 – OTHER INFORMATION

Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem



SpecPrep SB Part B

Version 1 pg. 15

assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET



SpecPrep SB (Part C)

Version 1 pg. 1

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): SpecPrep SB (Part C)

Synonyms: N/A CAS No: Mixture

1.2 Product Use:Bonding agent component

1.3 Company Name: SpecChem

Company Address: 1511 Baltimore Ave; Suite 600 Company Address Cont: Kansas City, MO 64108

Business Phone: (816) 968-5600

Website: www.specchemllc.com
1.4 Emergency Telephone Number: Chemtrec: (800) 424-9300

Date of Last Revision: February 1, 2015
Date of Current Revision: July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a gray powder with minimal odor.

<u>Health Hazards</u>: May cause skin and respiratory irritation and burns to the eyes. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs. Contains components that are defined as human carcinogens.

Flammability Hazards: This product is not considered flammable.

Reactivity Hazards: None.

<u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not Regulated



2.1 EU Labeling and Classification:

Danger

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

Signal Word

238-878-4 is not listed in Annex I

266-043-4 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: Crystalline Silica (Quartz)/Silica Sand, Portland

Cement, Calcium Oxide, Aluminum Sulfate



SpecPrep SB (Part C)

Version 1 pg. 2

2.2 Label Elements:

GHS Hazard Classifications: Carcinogenicity Category 2

STOT – SE Category 3 (Respiratory System)

Skin Irritation Category 2 Skin Sensitization Category 1 Eye Damage Category 1

Hazard Statements: H351 Suspected of causing cancer

H373 May cause damage to organs

(Respiratory System) through prolonged or

repeated exposure

H335 May cause respiratory irritation

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

Precautionary Statements: P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions

have been read and understood.

P260 Do not breath

dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated

area.

P272 Contaminated work clothing should not be

allowed out of the workplace

P270 Do not eat, drink or smoke when using

this product.

P280 Wear protective gloves/eye

protection/face protection.

Response Statements: P308+P313 IF exposed or concerned: Get

medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/Doctor if you

feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of

water.

P333+P312 If skin irritation or rash occurs: Get

medical advice/attention.

P362+P364 Take off contaminated clothing and

wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P310 Immediately call a POISON

CENTER/Doctor.

Storage Statements: P403+P233 Store in a well-ventilated place.

Keep container tightly closed.

P405 Store locked up.



SpecPrep SB (Part C)

Version 1 pg. 3

Disposal Statements: P501 Dispose of contents/container in

accordance with

local/regional/national/international regulations..

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory irritation. Skin Contact: May cause irritation to skin.

Eye Contact: Contact with the eyes may cause burns or irritation. Ingestion: May cause gastrointestinal irritation, nausea, and vomiting. **Chronic:** Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Eyes, Skin, Respiratory

Chronic: Lung, Skin

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Crystalline Silica (Quartz)/ Silica Sand	50–70%	14808-60-7	238-878-4	Carc. 2, STOT RE2
Portland Cement	25-45%	65997-15-1	266-043-4	STOT SE3, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1
Calcium Oxide	3–10%	1305-78-8	215-138-9	STOT SE3, Skin Irrit. 2, Eye Dam. 1
Aluminum Sulfate	1–4%	10043-01-3	233-135-0	STOT SE3, Skin Irrit. 2, Eye Dam. 1

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: If product enters the eyes, flush with plenty of water or eye wash

solution for several minutes. Remove contacts if present and easy to

do. Seek medical attention if irritation persists.

Skin Contact: Wash skin thoroughly with soap and water after handling. Seek medical

attention if irritation develops and persists.

Inhalation: If breathing becomes difficult, remove victim to fresh air. If necessary,

use artificial respiration to support vital functions. Seek medical

attention.

Ingestion: If product is swallowed, call physician or poison center if you feel unwell.



SpecPrep SB (Part C)

Version 1 pg. 4

If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated By Exposure:

Pre-existing skin, respiratory system or eye problems may be

aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed: Exposure to skin and respiratory may cause

irritation. Contact with the eyes may cause burns. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to

the lungs.

4.3 Recommendations to Physicians: Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials: Water Spray: Yes

Foam: Yes Halon: Yes

Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

5.3 Special Fire-Fighting Procedures:


- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.



SpecPrep SB (Part C)

Version 1 pg. 5

• If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

If liquid was introduced, construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- · Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE



SpecPrep SB (Part C)

Version 1 pg. 6

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Rapid setting concrete repair mortar.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL	ACGIH TWA
Crystalline Silica (Quartz)/Silica Sand	14808-60-7	TWA 0.1 mg/m3 (resp) TWA 0.3 mg/m3 (total)	Ca TWA 0.05 mg/m3	0.025 mg/m3
Portland Cement	65997-15-1	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	TWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)	10 mg/m3 (total)
Calcium Oxide	1305-78-8	TWA 5 mg/m3	TWA 2 mg/m3	TWA 2 mg/m3
Aluminum Sulfate	10043-01-3	TWA 2 mg/m3	TWA 2 mg/m3	TWA 2 mg/m3

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection: Maintain airborne contaminant concentrations

below guidelines listed above. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member

Eye Protection: Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Chemical resistant gloves are required to

prevent skin contact. If necessary, refer to U.S.

OSHA 29 CFR 1910.138, the European

Hand Protection:



SpecPrep SB (Part C)

Body Protection:

Version 1 pg. 7

Standard DIN EN 374, the appropriate

Standards of Canada, Australian Standards, or

relevant Japanese Standards.

Use body protect appropriate to task being

performed.

If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in

U.S. OSHA 29 CFR 1910.136.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

ppearance (Physical State and Color): Gray powder

Odor: Minimal

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

Boiling Point: No data available Flash Point: No data available Evaporation Rate: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: No data available Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 2.6 - 3.2 Solubility in Water: Miscible

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.10.4 Conditions to Avoid: No data available.



SpecPrep SB (Part C)

Version 1 pg. 8

10.5 Incompatible Substances: Hydrogen fluoride. **10.6 Hazardous Decomposition Products:** No data available.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data: No data available

Suspected Cancer Agent: Crystalline Silica (Quartz)/Silica Sand (CAS 14808-60-7) is

found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore is considered

to be a cancer-causing agent by these agencies.

Irritancy: Skin, eye, and respiratory irritant.

Sensitization to the Product: This product is expected to cause skin sensitization.

Germ Cell Mutagenicity: This product does not contain ingredients that are suspected

to be a germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive

toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity: No data available

12.2 Persistence and Degradability: No specific data available on this product.
 12.3 Bioaccumulative Potential: No specific data available on this product.
 12.4 Mobility in Soil: No specific data available on this product.
 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments

for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods: Waste disposal must be in accordance with

appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member

States and Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number:

Proper Shipping Name:

Hazard Class Number and Description:

Packing Group:

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable



SpecPrep SB (Part C)

Version 1 pg. 9

North American Emergency
Response Guidebook Number:
Not applicable

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are not designated by

the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User: None

14.4 International Air Transport Association

Shipping Information (IATA):

14.5 International Maritime Organization

Shipping Information (IMO):

UN Identification Number:

Proper Shipping Name:
Hazard Class Number and Description:
Packing Group:

EMS-No:

Not applicable
Not applicable
Not applicable
Not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Not regulated.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does contain "Silica, crystalline", which is on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is Class E, Corrosive, and D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations



SpecPrep SB (Part C)

Version 1 pg. 10



15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 – OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET